ACCESS CONTROLS

"One-Stop" Access Control Shopping

Whether you need a complex access control system, or a simple stand-alone device, we have all the products to meet your needs.

We provide a complete line of access devices including RF controls, card readers, keypads, electric and magnetic locks and a full line of complimentary products to meet your specific requirements.

MODEL 1504
PAGE 82

MODEL 1520
PAGE 79



FOR MORE INFORMATION VISIT:
DOORKING.COM/AC

WIEGAND OUTPUT PROXIMITY
CARD READERS

Model 330 Enclosure Assembly | Model 1815-302 Small | Model 1815-300 Mullion | Model 1815-301 Single Gang

A unique feature of the DKS proximity card reader product line is that the card readers are compatible with both passive and active tags. This allows a mixing of different cards and tags to achieve desired read ranges in different locations without having to install a second card reader or carry two tags. These readers feature a cosmetically appealing design that will blend with any architectural design and offer high durability and reliability.

AVI (or Automated Vehicle ID) systems operate in the same manner as proximity card systems, but with longer ranges. A typical AVI system places a tag on the vehicle, rather than having the user carry it. In this manner, a gate system will open automatically as the vehicle approaches with a properly credentialed tag. This provides convenience and is ideal in applications where only authorized vehicles are allowed entry.

Passive | Active

THE 4" TO 30' ENTRY SOLUTION

Reads Multiple Types of Cards and Tags
- Full line available as passive or active.

Long Range Readers
- Read tags up to 30-feet away using active tags.

Key-Fobs
- Small size and easily fit on key chain.

Indoor Use
- Indoor applications to control access to secure areas.



Outdoor Use
- Card reader can also be mounted on an enclosure for outdoor applications.

Key Features:

Proximity Card Readers
- Full line proximity card readers and cards
- Mullion, wall and post mount models
- Read ranges from 2-inches up to 30-inches (50.8mm to 762mm)
- Dual reading technology / active and passive
- 2 color LED (red/green), Piezo beeper
- 100% weatherproof
- 26-bit wiegand format
- Reverse polarity protection

AVI (Automatic Vehicle ID)
- Operates on 2.4 GHz with 125 channels
- Encrypted secure protocols between tag and reader
- Multiple tag reading, up to 30 / sec.
- Up to 30-foot read range

Apartment/ College Residents Halls | Apartment Complex/ Gated Communities | Commercial/ Industrial

Parking | Maximum Security | Mixed Use Buildings | Self Storage

FOR MORE INFORMATION VISIT:
DOORKING.COM/CR

THE STAND ALONE UNIT **INTEGRATES** WITH FACILITY WIDE PASS CODES

Single Door Controller

- Can be used with a variety of access devices

Built-in Keypad

- Makes programming easy.

Cards, Tags, and Clickers

- Credit card size. Keytags and proximitters are designed to fit on a key ring.

Simple Wiring

- Installs easily on any door or gate.

Weigand Controller

- Add your own device, whether keypads, card reader, or RF remote.

1520 Stand Alone Card Reader

Key Features:

- Single door access controller
- Stores up to 1000 card or other access device codes
- 3600 event transaction buffer
- Timed anti-pass back (1-59 minutes)
- Four time zones
- Print menu
- Real-time print mode
- Built-in programming keypad
- 10 facility codes

The Model 1520 is an economical single door access controller designed in a small compact package. This controller accepts inputs from almost any 26-bit wiegand device (card readers, keypads, RF remote, etc.) and provides outstanding features typically not found in a single door access control system. The 1520 controller is ideal for remote locations allowing the same access devices to be used that are connected to the main access control system.

Single Door Controller

Parking Residential Self Storage

MICROPLUS®
RF CONTROLS

JUST A CLICK AWAY
MAXIMUM SECURITY WIRELESS REMOTE ACCESS

Codes Cannot Be Copied
- Assures that only the original intended transmitters will activate the system.

Over 286,000,000 Transmitter Codes
- Plus an encrypted 'sync' code.

Safety
- Provides remote operation of gates from inside your vehicle.

Transmitter Options
- Available with 1, 2, or 3 buttons to control multiple locations.

MicroPLUS® RF products provide you with the highest level of security available with RF access controls. Our coding and encryption schemes are not shared with other producers (such as automobile manufacturers), resulting in transmitter codes that cannot be duplicated or copied. With MicroPLUS controls, you are assured that only the original intended transmitter will activate your access system.

Model 8040 Receiver

This receiver can be programmed to receive a signal from the MicroPLUS or MicroCLIK transmitters, which allows the homeowner to choose whichever type of remote they want.

The 8040 Receiver is also a low power draw unit designed specifically for the solar application. It remains in a "sleep" mode until it receives a signal from a transmitter. When in sleep mode, it draws about 1 milli-amp of power.

Key Features:

- Provides remote operation of vehicular access gates from the safety and convenience of a vehicle
- MicroPLUS® transmitter codes cannot be copied assuring that only the original intended transmitters will activate the access control system
- Over 286,000,000 transmitter codes available plus an encrypted "sync" code that changes every time the transmitter is used
- PROXmtr™ includes a built in proximity card with the MicroPLUS transmitter combining both RF and card access control into a single compact unit
- Transmitters available with 1, 2 or 3 buttons
- MicroPLUS® RF controls may be used as a stand-alone access control system or can be interfaced with 26, 30 or 31-bit wiegand controllers

Apartment/ College Residents Halls
Apartment Complex/ Gated Communities
Commercial/ Industrial
Parking
Maximum Security
Mixed Use Buildings
Residential
Self Storage

FOR MORE INFORMATION VISIT:
DOORKING.COM/MICROPLUS

GOING WIRELESS WITH EASE

COMPACT SIZE FITS ON YOUR KEY RING

PROXmitters™

- Same as the standard transmitter but also include a built-in proximity card.

1,000,000 Transmitter Codes

- Transmitters factory coded to 1 of over 1 million available codes.

Receiver Memory

- Your choice of either 50, 100, 250, 500, 1000, 5000, or 16000.

HomeLink® Compatible

- The convenience of using the HomeLink system built into your automobile.

Antenna Options

- Directional yagi antenna for improved range, and antenna amplifiers.

MicroCLIK RF controls are designed to provide convenience and security, but do not have copy proof encoding schemes found in the MicroPLUS® product line. This allows MicroCLIK transmitter codes to be copied into the built-in transmitters found in many luxury automobiles, however we do not guarantee this commonality or functionality.

Key Features:

- Provides remote operation of vehicular access gates from the safety and convenience of a vehicle
- Over 1,000,000 transmitter codes available
- PROXmtr™ includes a built in proximity card with the MicroCLIK transmitter combining both RF and card access control into a single compact unit
- Transmitters available with 1, 2 or 3 buttons
- MicroCLIK® RF controls may be used as a stand-alone access control system or can be interfaced with 26 or 31-bit wiegand controllers
- HomeLink® compatible

Apartment/ College Residents Halls
Apartment Complex/ Gated Communities
Commercial/ Industrial
Parking
Maximum Security
Mixed Use Buildings
Self Storage

1500
DIGITAL KEYPADS

Model 1504
with Intercom

The DKS 1500 series digital keypads provide basic access control for virtually any application where stand-alone digital code entry is desired. These vandal resistant keypads are designed for outdoor applications, use stainless steel faceplate, galvanized steel sub-plates and are housed in a rigged steel cabinet. Standard style units can be surface or post mounted while flush mount units are designed to be recessed into a wall or column. The 1504 series include the keypad with an intercom sub-station enclosed in the same housing

Models
1503/1506
Flush Mount

Models
1503/1506
Surface Mount

Model 1503
Non-light

DESIGNED TO
STAND ALONE

Keypad Digital Code Entry
- User's enter their 4-5 digit unique PIN to gain entry (programmable from keypad).

LED Lighted Keypads
- Easy night time operation and visibility.

Intercom Model
- Combines keypad and intercom for use with some existing intercom systems.

Economical
- Non-lighted option has 2 access codes.

Key Features:

1503 Series Basic
- Two 4-digit codes, two 5-digit codes
- Hold open code
- Basic digital entry for economical applications
- Non-lighted version available

1506 Series Digital
- Stores up to 1000 4-digit entry codes
- Six 5-digit entry codes
- Lighted keypad
- Hold open code
- Time zone inputs
- Secondary keypad capability

1504 Series Basic or Digital with Intercom
- The 1504 combines a 1503 Basic or 1506 Digital keypad into a common housing with an intercom sub-station. A master intercom station (not provided) is required to establish communication with the 1504 (We do not guarantee compatibility or functionality with the intercom master station).

Apartment/
College Residents Halls

Apartment Complex/
Gated Communities

Commercial/
Industrial

Parking

Maximum
Security

Mixed Use
Buildings

Residential

Self
Storage

FOR MORE INFORMATION VISIT:
DOORKING.COM/1500

THE ORIGINAL TURN KEY APPLICATION THAT GRANTS YOU ACCESS

Keyswitches

- A quick and economical means to secure doors and gates.

Mounting Options

- 1207, 1209, 1210 can be surface or post mounted for indoor or outdoor use.

Indoor Application

- The 1206 mounts in a single-gang electrical box.

Stainless Steel

- Faceplate with a rugged steel cabinet make these switches vandal resistant.

Model 1209

The DKS 1207 and 1209 are momentary contact devices and utilize a mortise cylinder that can be re-keyed by your locksmith to match other access keys. The DKS 1209 includes a built in eight ohm speaker, push button, and is lighted. The 1209 is designed to be connected to an existing intercom system and used as a sub-station to the system. The DKS 1210 uses an ACE key cylinder that can be turned ON for constant contact applications, such as holding an electronic gate system open.

Key Features:

- Provides convenience and security for basic access control applications
- Designed for outdoor or indoor use
- Can be post or surface mounted
- Steel cabinets and stainless steel faceplate
- Two keys supplied with each unit
- Mortise cylinders used on 1207 and 1209 models, Ace cylinder used on 1210 model
- Intercom option on model 1209 includes a speaker and push button for connection to an existing intercom system
- Each key switch is housed in a rugged steel cabinet with a stainless steel faceplate making these switches vandal resistant



Model 1206

Model 1207

Model 1210

Apartment/ College Residents Halls

Apartment Complex/ Gated Communities

Commercial/ Industrial

Parking

Maximum Security

Mixed Use Buildings

Self Storage

Gate Model 1216-080 Kit (DKGL-S12) 1200lbs
Also available as 600lbs

Door Model DKML-S6

MAGNETIC TECHNOLOGIES

NO MOVING PARTS TO WEAR OUT

Quick Release Button

- Pop button assures instant release when power to lock is removed.

Fail Safe Design

- Insures fire exit paths are unlocked during power outages.

No Moving Parts

- To wear out or break which assures an extremely long life.

The DKS series of door (DKML) and gate (DKGL) locks offers a wide range of high quality electro-magnetic locks and brackets to accommodate most access control locking requirements.

Door locks can be ordered in surface or mortise mount styles, with special options such as LED lock status indicators and a built-in timer for automatic lock reactivation after a preset time.

Gate locks are designed for outdoor applications. The 1200 Lb. lock provides an electrical enclosure with predrilled and tapped conduit holes on the top, bottom, side, and back providing easy wiring and installation. The 600 Lb. lock includes a built-in cable assembly for all wiring connections.

Key Features:

- Fast and easy installation
- No residual magnetism
- Fail-safe operation assures that fire exit paths are unlocked during power outages
- MOV surge protection protects locks from transient voltage spikes

Gate

- Predrilled/tapped electrical enclosure conduit holes
- Mounting brackets are predrilled/tapped for easy welding to the gate and assembly to the mag lock (brackets included), making for easy installation, repairs, and replacement
- Built in relay on selected models for gate lock status indication

Door

- LED (R/G) lock status indicates if the lock is secured (green) or not secured (red)
- Built in time delay eliminates the need for costly add-on exit delay timers

DKML-S12* DKML-S6* DKSL-M20 DKML-M6 DKML-M3 DKML-S3 DKGL-S6

*Also available for dual doors

Apartment/ College Residents Halls

Apartment Complex/ Gated Communities

Commercial/ Industrial

Parking

Maximum Security

Mixed Use Buildings

Residential

Self Storage

FOR MORE INFORMATION VISIT:
DOORKING.COM/ML

STRIKES AND BOLTS
TO MAKE YOU FEEL SAFE

Electric Door and Gate Locks

- An economical way to secure entries.

Stainless Steel

- Dead-bolt is 5/8" thick with 5/8" throw.

Deadbolt Locks

- Provide an automatic re-lock adjustable from 0 to 5 seconds.

Fail Safe Design

- Insures fire exit paths are unlocked during power outages.

Model DKEB Deadbolt

Model DKES-C1 Strike

Model DKES-C2 Strike

Electric strikes offer an economical way to secure standard doors and are suitable for most cylindrical door locks. Fail-safe and fail-secure strikes are available. Electric dead bolts provide superior security and safety and include fail-safe operation for doors and gates. Dead bolt options include lock sensor, door sensor or lock and door sensor models to indicate status of the lock (locked, unlocked) and/or door (open, closed).

Key Features:

Electric Strikes
- Suitable for most cylindrical door locks
- Easily retrofit into most door or gate frames
- Operate on 12-volt DC power
- Door strikes are available in both fail-safe and fail-secure models

Electric Dead Bolts
- Provide superior security and safety with fail-safe operation
- Operate on 12-volt DC power
- 5/8 inch stainless steel bolt with 5/8 inch throw
- Automatic re-lock adjustable from 0-5 seconds
- Options include lock sensor, door sensor or lock and door sensor models to indicate status of the lock (locked, unlocked) and/or door (open, closed)

Apartment/ College Residents Halls

Apartment Complex/ Gated Communities

Commercial/ Industrial

Maximum Security

Mixed Use Buildings

Residential

Self Storage

DON'T FORGET THE MOUNTING POST

DKS offers a full range of mounting posts to meet your specific needs, whether it's for vehicular traffic or pedestrian traffic requirements.

Architectural and designer style posts are typically used with the larger telephone entry systems and are available in gooseneck styles for vehicular traffic or straight styles for walk-up pedestrian use. The mounting kiosks are ideal for walk-up pedestrian applications and are designed for DKS Flush Mount telephone entry systems only. Both the designer style post and the walk-up kiosk include an accessory compartment that can house accessory transformers, surge suppressors and a radio receiver. Additionally, the designer style post has an optional light tower that can be added to them. The standard posts are used with card readers, keypads and smaller access control devices. A dual-height style is also available for applications that have both vehicular and truck traffic using the system. All mounting posts are finished in a baked-on enamel finish.

Kiosk 1200-170

Kiosk 1200-160

Kiosk 1200-175

Dual Mount

Standard Gooseneck

Dual Height Post

- Ideal for both truck and car traffic.

Designer Style Posts and Kiosk

- Include an accessory compartment for transformers, surge suppressors and an RF receiver.

Kiosk Lighting

- Kiosks feature ultra-bright energy saving LEDs to provide illumination to the entry system.

Baked on Crinkle Coat Enamel

- Finish is durable and weather resistant.

Key Features:

Standard, Architectural, and Heavy Duty Designer

- Pad mounting bolts directly onto existing concrete
- In-ground adapter when a concrete pad is not available or unwanted
- Baked on crinkle coat enamel provides a durable and weather resistant finish

Mounting Kiosks

- Walk-up pedestrian applications for DKS flush mount entry systems
- Lockable electrical panel on back includes 4 convenience outlets and mounting space
- Ultra-bright energy-saving LEDs illuminate the entry systems

Optional Light Assembly

Architectural Style Offset Mount

Architectural Style Flush Mount

Designer Offset Mount

Designer Flush Mount

In-ground Mounting Adapter

Apartment/ College Residents Halls

Apartment Complex/ Gated Communities

Commercial/ Industrial

Parking

Maximum Security

Mixed Use Buildings

Residential

Self Storage